

Embout inox – Sans raccord



- > Sondes avec embout inox, 2 fils, section 2 x 0,50 mm².
- > Etanchéité IP65.

Code

article Désignation Type de sonde Température °C

Longueur câble (m) Longueur embout (mm)

Diamètre embout (mm)

Longueur câble (m)

Page cat. Doc.

technique

012796

HFP-100/P

PT100

-50 ... +85

1

[OUI](#)

-

012798

1
HFP-100/S

PT100

-50 ... +150

1 OUI	-	1		
012797		HFP-1000/P	PT1000	-50 ... +85
1 OUI	-	1		
012799		HFP-1000/S	PT1000	-50 ... +150
1 OUI	-	1		
011809		HF-51	PTC1K	-40 ... +150
1,5 OUI	-	1		
012775		HF-51/6	PTC1K	-40 ... +150
6 OUI	-	1		
012787		HF-57	PTC57	-50 ... +85
1,5 OUI	-	1		
012780		HF-0	NTC2K25	-50 ... +150
1,5 OUI	-	1		
012781		HF-0/6	NTC2K25	-50 ... +150

6

OUI	-	1			
	011756	HF-1		NTC1K	-50 ... +85
1,5					
OUI	-	1			
	011757	HF-3		NTC8K	-50 ... +85
1,5					
OUI	-	1			
	012765	HF3/6		NTC8K	-50 ... +85
6					
OUI	-	1			
	011758	HF-4		NTC10K	-50 ... +85
1,5					
OUI	-	1			
	012756	HF-4/6		NTC10K	-50 ... +85
6					
OUI	-	1			
	011759	HF-5		NTC50K	-50 ... +85
1,5					
OUI	-	1			
	012760	HF-5/6		NTC50K	-50 ... +85
6					
OUI	-	1			
	012767	HF-6		NTC100K	-50 ... +150

1,5
[OUI](#)

-
012768

1
HF-6/3

NTC100K

-50 ... +150

3
[OUI](#)

-

1